



POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN

Revision 1.4 dated 20/07/2017

HARWOOD SLIPWAY PTY LTD
162 – 164 River Road East
HARWOOD NSW 2465

LOT 1 DP128593 and LOT 2 DP536378

Appendix B

Pollution Incident Response Management Plan

POLLUTION INCIDENT RESPONSE MANAGEMENT PLAN FOR THE HARWOOD SLIPWAY (ENVIRONMENTAL PROTECTION LICENCE NO. 10807)



Recent legislative changes introduced by the *Protection of the Environment Legislation Amendment Act 2011* now require that a Pollution Incident Response Management Plan (PIRMP) is compiled and available at sites where the site operations are conducted under an Environmental Protection Licence (EPL).

This PIRMP document outlines the required response in relation to environmental protection licensing and pollution incident reporting in relation to activities undertaken at the Harwood Slipway site. The recent introduced several changes as to the way pollution incidents are reported and managed.

1 POLLUTION INCIDENT DEFINITION

The NSW Office of Environment and Heritage (OEH) defines a pollution incident as an incident or set of circumstances during or as a consequence of which there is or is likely to be a leak, spill or other escape or deposit of a substance, as a result of which pollution has occurred, is occurring or is likely to occur. It includes an incident or set of circumstances in which a substance has been placed or disposed of on premises, but it does not include an incident or set of circumstances involving only the emission of any noise.

1.1 Details of Potential Pollutants Onsite




1.2 Identified Environmental Risk Areas



2 INCIDENT RESPONSE

The following steps should be followed in the event of a pollution incident at the site:



In the event of a pollution incident at the site, Harwood Slipway will undertake the following response actions:

- Shutdown of work operations at the site:
- Isolation and Containment of Spill and/or Release. Containment and isolation of spills is to be completed using the spill kits provided on the site. In addition, spills can also be contained by reinforcing existing bunds and other containment measures.
- Notify ALL relevant agencies and the key Harwood Slipway personnel outlined in Table 1 and Table 2 of this PIRMP. Once notification has been completed liaise with these agencies as to the best course of action.
- Inform, if required, the owners and occupiers of surrounding properties that may be affected by the pollution incident.

2.1 Notification of Relevant Agencies

The PIRMP regulations outline that in the event of a pollution incident at the site, **ALL** the following agencies **MUST** be notified immediately:

Table A: Agencies to be notified following a pollution incident



Agency	Contact
NSW EPA	131 555
Ministry of Health – Public Health Unit (Lismore)	Phone: 02 6620 7500 Fax: 02 6620 2552 Mobile: 0428 882 805
WorkCover NSW	131 050
Police, Ambulance, Fire and Rescue NSW	000
Local Council – Clarence Valley Council	Phone: 02 6643 0200 Afterhours Phone: 02 6626 6858 Fax: 02 6642 7647

In the event of a pollution incident at the site, the following key personnel are responsible for activating this PIRMP and managing the response to a pollution incident.

Table B: Harwood Slipway Personnel Responsible for Activating and Managing PIRMP

Contact Position	Contact Name	Contact Numbers
Managing Director		Office: 02 6646 4222
Site Foreman		Office: 02 6646 4222
Environmental Officer		Office: 02 6646 4222 After Hours: Ring the above number and you will be diverted.

3 PLAN TESTING AND REVIEW REQUIREMENTS



4 ADDITIONAL REQUIREMENTS

